ELSEVIER

Volume 325, Numbers 1–2, 26 July 2001

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Letters

Fabrication of β-Si_3N_4 nano-fibers L1
H. Chen (Zhuzhou, PR China), Y. Cao (Zhuzhou and Beijing, PR China), X. Xiang (Zhuzhou, PR China), J. Li and C. Ge (Beijing, PR China)

Magnetic properties of $Dy_3Co_8Sn_4$ L4
F. Canepa and M. Napoletano (Genova, Italy)

Formation of a single icosahedral quasicrystalline phase in $Hf_{60}Ni_{15}Cu_{10}Ti_{15}$ metallic glass L7
L. Wang, C. Li and A. Inoue (Sendai, Japan)

Note on the occurrence of rare earth compounds of the type RCr_6Al_6 . . . . . L11
N.P. Duong (Amsterdam, The Netherlands), T.J. Gortenmulder (Leiden, The Netherlands), E. Brück, F.R. de Boer and K.H.J. Buschow (Amsterdam, The Netherlands)

Structure data for K_2MgH_4 and Rb_2CaH_4 and comparison with hydride and fluoride analogues L13
B. Bertheville (Genève, Switzerland), T. Herrmannsdörfer (Villigen, Switzerland) and K. Yvon (Genève, Switzerland)

Characterization of $La_{1-x}Ba_xCoO_3$ synthesized at low temperature L17
K.D. Mandal, L. Behera (Arunachal Pradesh, India) and K. Ismail (Shillong, India)

Physics

Magnetic and transport properties of RIr_2Ga series (R=La, Pr, Nd, Sm, Gd–Tm) 1
C. Petrovic (Tallahassee, FL, USA), M.F. Hundley, R. Movshovich, P.G. Pagliuso, J.L. Sarrao, J.D. Thompson (Los Alamos, NM, USA) and Z. Fisk (Tallahassee, FL and Los Alamos, NM, USA)

Dependence of the $CeNi_5$ thermoelectric power on strong 4f-electron instability 6
M.D. Koterlyn (Bydgoshch, Poland), O.I. Babych and G.M. Koterlyn (L'viv, Ukraine)

Characterization of $Cu_{0.5}Ag_{0.5}InSe_2$ thin films 12
G. Venkata Rao, G. Hema Chandra, O.M. Hussain, S. Uthanna and B. Srinivasulu Naidu (Tirupati, India)

Magnetic properties of $MnAs_{0.7}Sb_{0.3}$ under high pressure. Comparison with the magnetic moment calculated for MnAs with the NiAs-type structure 18
T. Goto, M.I. Bartashevich (Kashiwa, Japan), K. Kondo, K. Terao, H. Yamada (Matsumoto, Japan) and H. Ido (Tagajo, Japan)

Atomic site preference, the Néel temperature and specific heat of β-$Mn_{1-x}Ru_x$ alloys 24
K. Sasao, R.Y. Umetsu and K. Fukamichi (Sendai, Japan)

Magnetic ordering of $CeNi_{0.78}Sn_2$ and $Ce_3Ni_2Sn_7$ compounds by neutron diffraction 29
P. Schobinger-Papamantellos (Zürich, Switzerland), G. André, J. Rodríguez-Carvajal (Gif-sur-Yvette, France), K.H.J. Buschow (Amsterdam, The Netherlands) and L. Durivault (Pessac, France)

Magnetism and electronic transport in $R_2Mn_3Si_5$ (R=Dy, Ho and Er) compounds 37
R. Nirmala, V. Sankaranarayanan, K. Sethupathi (Chennai, India) and A.V. Morozkin (Moscow, Russia)

Magnetic properties of GdPdAl single crystals 42
E. Talik, M. Skutecka, J. Kusz (Katowice, Poland), H. Böhm (Mainz, Germany), J. Jarosz (Katowice, Poland), T. Mydlarz (Wroclaw, Poland) and A. Winiarski (Katowice, Poland)

Formation of completely miscible solid-solution $Gd_5(Si_{1-x}Ge_x)_4$ induced by ferromagnetic exchange interaction 50
Q.L. Liu, G.H. Rao, H.F. Yang (Beijing, PR China) and J.K. Liang (Beijing and Shengyang, PR China)

Magnetic properties of hexagonal $YbCu_{5-x}Al_x$. Crossover from intermediate valence to trivalence of Yb ion 54
J. He, G. Ling and Z. Ye (Hangzhou, P.R. China)

Elsevier Science B.V.

Structural and magnetic properties of $Nd_3(Fe_{1-x}Co_x)_{27.7}Ti_{1.3}$ ($0<x\leq0.4$) alloys 59
O. Kalogirou, C. Sarafidis (Thessaloniki, Greece), M. Gjoka, T. Bakas (Ioannina, Greece) and M. Giannouri (Thessaloniki, Greece)

Macroscopic magnetic properties of the $HfFe_6Ge_6$-type RFe_6X_6 (X=Ge or Sn) compounds involving a non-magnetic R metal 67
T. Mazet and B. Malaman (Vandoeuvre les Nancy, France)

Chemistry

Crystal structure of a new monophosphate tungsten(V) bronze with hexagonal tunnels $Na_4(WO_3)_8(PO_2)_4$ 73
N.V. Stus, V.V. Lisnyak and M.S. Slobodyanik (Kyiv, Ukraine)

Differential scanning calorimetric studies on the phase diagram of the binary $LiCl–CaCl_2$ system 78
K.H. Mahendran, S. Nagaraj, R. Sridharan and T. Gnanasekaran (Tamilnadu, India)

Syntheses and structures of the quaternary alkali-metal bismuth coinage-metal chalcogenides $K_3Bi_5Cu_2S_{10}$, $CsBi_2CuS_4$, $RbBi_{2.66}CuSe_5$, and $CsBiAg_2S_3$ 84
F.Q. Huang, K. Mitchell and J.A. Ibers (Evanston, IL, USA)

Crystal structure of lead tungstate at 1.4 and 300 K 91
R. Chipaux, G. André and A. Cousson (Gif sur Yvette, France)

Effect of hydrostatic pressure on the free-ion parameters and the crystal-field strength for $YOCl:Eu^{3+}$ 95
C. Yuanbin, L. Shenxin and P. Yuewu (Changchun, China)

^{31}P MAS-NMR study of $R'_1R''_5P_6O_{18}.nH_2O$ cyclohexaphosphates 102
C. Ben Nasr, M. Rzaigui (Zarzouna-Bizerte, Tunisia), I. Sobrados and J. Sanz (Madrid, Spain)

Metallurgy

Thermodynamic assessment of the Pt–Sn system 109
X. Su, F. Yin, M. Huang, Z. Li and C. Chen (Hunan, PR China)

Liquid phase separation in undercooled Co–Cu alloys processed by electromagnetic levitation and differential thermal analysis 113
C.D. Cao, T. Letzig, G.P. Görler and D.M. Herlach (Cologne, Germany)

On the entropy of mixing 118
F. Sommer, R.N. Singh and V. Witusiewicz (Stuttgart, Germany)

Thermodynamic evaluation of the Fe–Zn system 129
X. Su (Hunan, PR China and Toronto, Ontario, Canada), N.-Y. Tang (Mississauga, Ontario, Canada) and J.M. Toguri (Toronto, Ontario, Canada)

The hydriding kinetics of massive ZrCo 137
V. Batz, I. Jacob, M.H. Mintz, Z. Gavra and J. Bloch (Beer Sheva, Israel)

A new crystalline phase related to an Al–Ni–Co decagonal phase 145
K. Hiraga, T. Ohsuna and S. Nishimura (Sendai, Japan)

Thermodynamics of hydrogen absorption/desorption for Pd-group 6B alloys and some anomalous isotherms 151
D. Wang, J.D. Clewley, S. Luo and T.B. Flanagan (Burlington, VT, USA)

Texture development and anomalous grain growth in Sb-doped $MnPt_3$ thin films by solid-state reaction of multilayered films . 160
T. Matsui, K. Kashihara, H. Tsuda, H. Mabuchi and K. Morii (Osaka, Japan)

Phase equilibria in the quasi-ternary system $Ag_2S–CdS–Ga_2S_3$ 167
I.D. Olekseyuk, O.V. Parasyuk, V.O. Halka, L.V. Piskach, V.Z. Pankevych and Ya.E. Romanyuk (Lutsk, Ukraine)

Surface tension prediction of high-temperature melts 180
Z. Qiao, L. Yan, Z. Cao and Y. Xie (Beijing, PR China)

Phase relations in the Nd–Al–Si system at 500°C 190
L. Zhilin, Z. Yichun (Hunan, PR China), Z. Yinghong, C. Rongzhen, L. Jingqi (Guangxi, PR China) and W. Xianyou (Hunan, PR China)

Directional solidification and characterization of binary Fe–Pr and Fe–Nd eutectic alloys 194
I.A. Santos (São Carlos, Brazil), A.A. Coelho, R.C. Araújo, C.A. Ribeiro and S. Gama (Campinas, Brazil)

Crystal structure of $R(Ag,Pb)_2$ (R=Y, Er, Tm) compounds 201
L.D. Gulay (Vienna, Austria) and M. Wolcyrz (Wroclaw, Poland)

Phase equilibria in the $AgGaS_2–ZnS$ and $AgInS_2–ZnS$ systems 204
I.D. Olekseyuk, V.O. Halka, O.V. Parasyuk and S.V. Voronyuk (Lutsk, Ukraine)

Materials Science

Effects of heat treatment temperature and thermal cycling on phase transformations in Ni–Ti–Cr alloy 210
J. Uchil, K. Ganesh Kumara and K.K. Mahesh (Mangalore, India)

Excited state relaxation dynamics and non-radiative energy transfer in fluoroindate glass singly doped with thulium and doubly doped with thulium and terbium 215
W. Ryba-Romanowski, S. Gołąb, G. Dominiak-Dzik (Wrocław, Poland), M. Żelechower and J. Gabryś-Pisarska (Katowice, Poland)

Preparation and characterization of sol–gel-derived unsupported Al_2O_3–SiO_2 composite membranes 223
Q. Wei (Anhui, PR China), D. Wang, S. Zhang (Hunan, PR China) and C. Chen (Anhui, PR China)

Effect of Zn addition on the crystallization process in $Zr_{65}Al_{7.5}Ni_{10}Cu_{17.5}$ metallic glass 230
C. Li and A. Inoue (Sendai, Japan)

Study of the microstructure of nanocrystalline Al–5 at.% Ti compacts prepared by reactive ball milling and ultra-high-pressure hot pressing 236
K. Il Moon, H. Sub Park and K. Sub Lee (Seoul, South Korea)

Activation characteristics of graphite modified hydrogen absorbing materials 245
S. Bouaricha, J.P. Dodelet, D. Guay, J. Huot and R. Schulz (Varennes, Québec, Canada)

Influence of Si, Ni and Co additions on gold alloy for investment cast process 252
G. Gusmano, R. Montanari (Rome, Italy), G. Montesperelli (Ancona, Italy), M.E. Tata, E. Bemporad, M. Valente, S. Kaciulis and G. Mattogno (Rome, Italy)

Pore characteristics of porous NiTi alloy fabricated by combustion synthesis 259
Y.-h. Li, L.-j. Rong and Y.-y. Li (Shenyang, PR China)

Identification of a cubic precipitate in γ-titanium aluminides 263
G.H. Cao, Z.G. Liu, G.J. Shen and J.-M. Liu (Nanjing, People's Republic of China)

Characterisation of zinc bearing-ferrites obtained as by-products of hydrochemical waste-water purification processes 269
F. Prieto (Pachuca, Mexico), E. Barrado, J. Medina (Valladolid, Spain) and F.A. López-Gómez (Madrid, Spain)

Microwave-hydrothermal versus conventional hydrothermal preparation of Ni- and Zn-ferrite powders 276
J.-H. Lee (Kagawa, Japan), C.-K. Kim (Tokushima, Japan), S. Katoh (Kagawa, Japan) and R. Murakami (Tokushima, Japan)

Synthesis and magnetic properties of perovskite $La_{1-x}Ca_xMn_{0.9}Li_{0.1}O_3$ 281
F. Gao, X.L. Wang, R.A. Lewis, P. Mikheenko and S.X. Dou (Wollongong, Australia)

Superconducting YNi_2B_2C- and YPd_2B_2C-phase formation from undercooled melts 285
H. Bitterlich, W. Löser, H.-G. Lindenkreuz and L. Schultz (Dresden, Germany)

The thermodynamic properties of Ti–Zr–Cr–Mn Laves phase alloys 293
J.-G. Park, H.-Y. Jang, S.-C. Han, P.S. Lee and J.-Y. Lee (Taejon, South Korea)

Effect of ball-milling with Ni and Raney Ni on surface structural characteristics of $TiV_{2.1}Ni_{0.3}$ alloy 299
H. Inoue, R. Miyauchi, T. Tanaka, W.-K. Choi (Osaka, Japan), R. Shin-ya, J.-i. Murayama (Hyogo, Japan) and C. Iwakura (Osaka, Japan)

Author Index of Volume 325 305

Subject Index of Volume 325 307